

NUMBER	TITLE	Author
PI-1	<u>Novel compound heterozygous mutations of CLDN16 gene in two siblings with nephrocalcinosis, hypomagnesemia and hypercalciuria</u>	Lovro Lamot
PI-2	<u>Pharmacological approaches in paediatric SIADH: tolvaptan and urea</u>	Faidra Veligrati
PI-3	<u>Next Generation Sequencing (NGS) data among children from eastern India with suspected inherited tubular disorder: East Zone Tubulopathy Genetic Study</u>	RAJIV SINHA
PI-4	<u>TmP/GFR reference values from childhood to adulthood in the era of IDMS-standardized creatinine values</u>	Justine Bacchetta Bacchetta
PI-5	<u>X-linked hypophosphatemia, obesity and cardiovascular parameters: data from the XLH21 study</u>	Justine Bacchetta Bacchetta
PI-6	<u>Assessment of glomerular and tubular function in the evaluation of children with Sickle Cell Disease</u>	Jerome Harambat
PI-7	<u>ASSESSMENT OF QUALITY OF LIFE THROUGH A PATIENT-CENTRED APPROACH IN CHILDREN AND ADULTS WITH DRTA TREATED WITH A NEW PROLONGED-RELEASE ALKALISING DRUG (ADV7103) FOR 5 YEARS</u>	Maria Manso
PI-8	<u>An Adolescent Boy Presented with Polyuria: A Diagnostic Challenge</u>	Demet Aylagut
PI-9	<u>Infantile hypercalcemia due to homozygous CYP24A1 mutation in a patient with neurofibromatosis type 1: a case report</u>	Lovro Lamot
PI-10	<u>OUTCOME OF A COHORT OF PATIENTS WITH DENT DISEASE</u>	MARIA HERRERO GOÑI
PI-11	<u>Positive outcomes with early steroid treatment in a severe case of drug-induced tubulointerstitial nephritis (DI-TIN)</u>	Maduri Raja
PI-12	<u>Kidney Transplantation in Children Weighing 15 Kilograms or less:</u>	ozan özkaya
PI-13	<u>First report of long-term outcome of Combined Liver and Kidney Transplantation in severe Protein C deficiency</u>	Maduri Raja
PI-14	<u>Neutrophil gelatinase-associated lipocalin (NGAL) and Interleukine-18 (IL-18) in graft urine correlate with the rate of recovery of transplanted kidneys in children</u>	Huib de Jong
PI-15	<u>Limited value of thrombophilia screening in kidney transplantation – do we need a clinical risk stratification guideline?</u>	Cheryl Lim
PI-16	<u>Leflunamide for treatment of BK virus nephropathy</u>	Gülşah Kaya Aksoy
PI-17	<u>Circulation and hemodynamics in living donation of kidney transplantation in children - the child-kitc study: magnetic resonance - arterial spin labeling perfusion imaging in pediatric ktx</u>	Tip Stille
PI-18	<u>Kidney transplanted children not responding to anti-rejection treatment: how to improve the outcome</u>	Irene Alberici
PI-19	<u>Renal graft loss during adolescence: is there a relationship between pubertal stage and activity of the immune system?</u>	Femke Vrieling-Prince
PI-20	<u>GROWTH AFTER PEDIATRIC KIDNEY TRANSPLANTATION: THE EFFECT OF PRETRANSPLANT RECOMBINANT GROWTH HORMONE AND POSTTRANSPLANT STEROID THERAPY</u>	Gilles Tourlaimain
PI-21	<u>How Long Does Protection by Hepatitis-B Vaccine Last After Renal Transplantation?</u>	Demet Aylagut
PI-22	<u>RELATIONSHIP BETWEEN THE ESTIMATED GLOMERULAR FILTRATION RATE AT ONE MONTH AFTER TRANSPLANTATION AND THE CHANGE OF GRAFT FUNCTION IN PAEDIATRIC LIVING RENAL TRANSPLANT RECIPIENTS</u>	Junya Hashimoto
PI-23	<u>Pediatric ADPKD progression stratification model based on 3DUS volumetry</u>	Luc Breysem
PI-24	<u>Decreased CD28 expression in memory CD4+ T cells in children awaiting kidney transplant is associated with increased expression of senescence markers</u>	Charlotte Duneton
PI-25	<u>EFFECT OF ELAMIPRETIDE (SS-31) ON INFLAMMASOM FORMATION IN MICE MODEL WITH OXALATE NEPHROPATHY</u>	Ismail Dursun
PI-26	<u>Characterization of acute kidney injury in the setting of acute myocardial infarction in mice</u>	Bilal Aoun
PI-27	<u>NOVEL HUMAN PODOCYTE CELL MODEL CARRYING APOL1 G2/G2 HIGH-RISK GENOTYPE</u>	Oyindamola Adebayo
PI-28	<u>Comparison of cell biological responses after Shiga toxin-1 exposure to primary human glomerular microvascular endothelial cells from pediatric and adult origin</u>	Wouter Feitz
PI-29	<u>Uromodulin and Vesico-Ureteral Reflux. A genetic study</u>	SILVIO MARINGHINI
PI-30	<u>PERSISTENT HEMATURIA DUE TO SCHISTOSOMA HAEMATOBIIUM. AN IMPORTED PATHOLOGY WITH DIFFICULT TREATMENT</u>	Elena Codina
PI-31	<u>The weighted combination of cystatin C and creatinine equations brought into practice</u>	Tobias Oostdam
PI-32	<u>MODELLING OF RENAL FUNCTION IN FORMER EXTREMELY LOW BIRTHWEIGHT INFANTS IN LATE CHILDHOOD</u>	Marieke Colleman
PI-33	<u>Safety and complications of kidney biopsies in children: a single centre study from Sweden</u>	Mia Dursun
PI-34	<u>A kinetics based algorithm to treat acute neonatal hyperammonemia</u>	Evelien Snauwaert
PI-35	<u>Postnatal maturation of glomerular filtration rate in term born neonates: an individual participant data meta-analysis</u>	Nori Smeets
PI-36	<u>Effect of chimeric antigen receptor (CAR) T cell therapy on renal function of pediatric patients: preliminary results</u>	Andrea Cappoli
PI-37	<u>ESCHERICHIA COLI O55:H7 ASSOCIATED HAEMOLYTIC URAEMIC SYNDROME (HUS): CASE SERIES FROM THE FIRST DOCUMENTED O55:H7 OUTBREAK IN THE UNITED KINGDOM (UK)</u>	Maduri Raja
PI-38	<u>Pediatric Cases Diagnosed with Drug-Related Acute Tubulointerstitial Nephritis: A Single Center Experience</u>	Demet Aylagut
PI-39	<u>STUDY OF PREVALENCE AND CLINICAL SPECTRUM OF SEPTIC ACUTE KIDNEY INJURY (SAKI) IN STEROID RESPONSIVE NEPHROTIC SYNDROME</u>	Debanjan Sinha
PI-40	<u>A new clinical tool to suspect dehydration and acute kidney injury in non-febrile children</u>	Pierluigi Marzuillo
PI-41	<u>RAPIDLY PROGRESSIVE ACUTE RENAL FAILURE WITH FAVORABLE PROGNOSIS</u>	Elena Codina
PI-42	<u>An 8-Year-Old Child with Macroscopic Hematuria and Acute Kidney Injury</u>	Hulya Nalcacioglu
PI-43	<u>ACUTE KIDNEY INJURY AFTER ALLOGENEIC HAEMATOPOIETIC CELL TRANSPLANTATION IN CHILDREN – A SINGLE CENTRE OBSERVATIONAL STUDY</u>	Erik Larsson
PI-44	<u>Assessment of the Renal Angina Index for prediction of Acute Kidney Injury on patients admitted to an European Paediatric Intensive Care Unit (PICU)</u>	Francisco Ribeiro-Mourão
PI-45	<u>Epidemiological Trends of Chronic Kidney Disease in Children : A Report from South East of England 2012-2016</u>	Jacqueline Sit
PI-46	<u>SGLT2i as renoprotection tool in children with CKD</u>	Dmytro Ivanov

PI-47	<u>Joining Forces: Optimising Oral Health for Children and Young People with Kidney Disease</u>	Christopher Wallace
PI-48	<u>Chronic kidney disease ten years after pediatric allogeneic hematopoietic stem cell transplantation</u>	Gertjan Lugthart
PI-49	<u>Pulse wave velocity (PWV) does not associate with chronic kidney disease (CKD) progression in children</u>	Karolis Azukaitis
PI-50	<u>F18-choline PET/CT to locate a parathyroid adenoma in child with chronic kidney disease</u>	Paula Carrascosa
PI-51	<u>Early versus Late Requirement for Renal Replacement Therapy in Children at Presentation: Early and Medium-term Outcomes</u>	Jacqueline Sit
PI-52	<u>Off-label use of cinacalcet in pediatric primary hyperparathyroidism: a French multi-centre experience</u>	Julie BERNARDOR
PI-53	<u>Which formulas using to estimate GFR in adolescents and young adults?</u>	laurence dubourg
PI-54	<u>Agreement between creatinine- and cystatine C-based formulas to estimate glomerular filtration rate in Congolese children</u>	Agathe Nkoy
PI-55	<u>Screening for urinary abnormalities and kidney function assessment among children living in Democratic Republic of Congo</u>	Agathe Nkoy
PI-56	<u>The effects of potassium and phosphate binders added to first age formula: an interest in infants with chronic kidney disease</u>	Rouba Bechara
PI-57	<u>the survey of association between peritoneal dialysis fluid CA125 and peritoneum function in PET test in peritoneal dialysis patients</u>	sahar Hemmati
PI-58	<u>Continuous renal replacement therapy in low weight patients: a retrospective study on newborns and infants treated with Ca.R.Pe.Di.E.M (Cardio-Renal, Pediatric Dialysis Emergency Machine) in Padua University Hospital</u>	Lisa Cusinato
PI-59	<u>CARPEDIEM continuous renal replacement therapy for very low birth weight neonates: first experience in Europe</u>	Julie BERNARDOR
PI-60	<u>PLASMA IOHEXOL CLEARANCE FOR RENAL FUNCTION ASSESSMENT IN PEDIATRIC PATIENTS AFTER CARDIAC SURGERY</u>	Evelyn Dhont
PI-61	<u>Risk Factors for Acute Kidney Injury in Pediatric Intensive Care Unit</u>	Kubra Celegen
PI-62	<u>Regional citrate anticoagulation in pediatric CRRT</u>	Andrea Cappoli
PI-63	<u>Examination of Patients with Acute Kidney Injury in the Pediatric Intensive Care Unit</u>	burcu gizem teber
PI-64	<u>Acute Kidney Injury Post Cardiac Surgery in Infants and Children: A Single Center Experience in a Developing Country</u>	Bilal Aoun
PI-65	<u>URINE NGAL IN THE ASSESSMENT OF EARLY TUBULAR DAMAGE IN CHILDREN UNDERGOING HEMATOPOIETIC STEM CELL TRANSPLANTATION – A PILOT STUDY</u>	Kinga Musial
PI-66	<u>Investigating N-terminal pro B-type natriuretic peptide concentrations in paediatric patients on haemodialysis</u>	Nabil Melhem
PI-67	<u>FGF23 correlation with Glomerular Filtration Rate, measured with a gold-standard technique in children with Chronic Kidney Disease</u>	Atessa Bahadori
PI-68	<u>Aluminum, Lead and Cadmium toxicity and their impact in hematological complications in dialyzed patients</u>	Popa Doriana Maria
PI-69	<u>Attainment of KDIGO 2012 clinical practice guideline targets for anaemia management in children with Pre-dialysis CKD, a single centre study</u>	Harriet Gass
PI-70	<u>Renal outcomes in a paediatric cohort of autosomal dominant polycystic kidney disease: when should the follow-up start?</u>	Joana Simões
PI-71	<u>Systematic evaluation of olfaction in patients with hereditary cystic kidney diseases/renal ciliopathies</u>	Mareike Dahmer-Heath
PI-72	<u>Procalcitonin serum levels in stage 5 chronic kidney disease children on hemodialysis</u>	Antoine Mouche
PI-73	<u>Creatinine-based GFR-estimating equations in children with overweight and obesity</u>	Mark J.C.M. van Dam
PI-74	<u>Comparison of creatinine and cystatin C-based estimated GFR with respect to severity of spina bifida</u>	Emil den Bakker
PI-75	<u>EVALUATION OF VACCINATION RATES AND ANTIBODY TITERS IN CHILDREN WITH CHRONIC KIDNEY DISEASE AND COMPARISON WITH HEALTHY CHILDREN</u>	Nilüfer Gökmar
PI-76	<u>Kidney Failure – an overlooked feature of Down Syndrome</u>	Marieke Chatelion Counet
PI-77	<u>Returning to Dialysis After Kidney Allograft Failure: the Experience of the Italian Registry of Paediatric Chronic Dialysis</u>	Ester Conversano
PI-78	<u>IMPACT AND SEROPREVALENCE OF SARS-CoV-2 INFECTION IN CHILDREN WITH CKD OR IMMUNOSUPPRESSION</u>	Federica Alessandra Vianello
PI-79	<u>COVID-19: Experiences of lockdown and support needs in children and young adults with kidney conditions</u>	Yincent Tse
PI-80	<u>Acute Kidney Injury in pediatric COVID-19 or MIS-C in Dutch hospitalized patients</u>	Miriam Mooij
PI-81	<u>Anxiety, Depression and Coping of Children with Chronic Kidney Disease and Their Caregivers During The COVID-19 Pandemic</u>	Özde Nisa Türkkan
PI-82	<u>Home testing to measure creatinine and tacrolimus levels: A collaboration during the COVID19 pandemic</u>	Helen Jones
PI-83	<u>Acute kidney injury (AKI) in paediatric inflammatory multisystem syndrome temporally associated with SARS-CoV-2 (PIMS-TS)</u>	Douglas Stewart
PI-84	<u>COVID-19-associated kidney injury in children: an observational study using expanded diagnostic criteria of Acute Disease Quality Initiative (ADQI)</u>	Seha Saygılı
PI-85	<u>Is COVID-19 Related Anxiety Higher in Children With Chronic Kidney Disease Than Healthy Children?</u>	Demet Alaygut
PI-86	<u>Renal involvement and histological findings in two pediatric COVID-19 patients</u>	Antonio Mastrangelo
PI-87	<u>Incidence and outcome of SARS-CoV-2 infection in a kidney transplant pediatric recipients cohort from a single Center in Northern Italy</u>	Marco Cazzaniga
PI-88	<u>Acquired Renal Tubular Dysgenesis in a Premature Neonate.</u>	Martine Docx
PI-89	<u>Factors associated with longitudinal changes of pulse wave velocity (PWV) in children with chronic kidney disease (CKD)</u>	Karolis Azukaitis
PI-90	<u>Aortic pulse wave velocity is primarily determined by blood pressure but not other cardiovascular risk factors during childhood: a call to arms to standardise results</u>	Karolis Azukaitis
PI-91	<u>Diagnostic value of serum cardiovascular (CV) biomarkers to detect subclinical CV disease (CVD) in children with chronic kidney disease (CKD)</u>	Karolis Azukaitis
PI-92	<u>ASSOCIATION BETWEEN BLOOD PRESSURE AND ANGIOTENSIN CONVERTING ENZYMES ACTIVITY IN PREPUBERTAL CHILDREN</u>	SARA MOSCA
PI-93	<u>Demographic characteristics of childhood hypertension in the United Kingdom</u>	Emily Haseler

PI-94	<u>BLOOD PRESSURE PARAMETERS AFFECTING VENTRICULAR REPOLARIZATION IN OBESE CHILDREN</u>	Demet Alaygut
PI-95	<u>Ambulatory Blood Pressure Monitoring and End Organ Damage in Childhood Hypertension</u>	Musa Öztürk
PI-96	<u>Evolution of Cardiovascular Risk Factors in Pediatric Kidney Transplant Recipients</u>	Végh Anna
PI-97	<u>The Effect of Chronic Kidney Disease on Arterial Elasticity in Pediatric Population</u>	Ece Demirci Bodur
PI-98	<u>Secondary Hypertension with Unremarkable Radiological Examinations but High Grade Stenosis in Angiography</u>	Mara Egerer
PI-99	<u>A Bayesian population approach to determine lisinopril exposure in hypertensive paediatric patients with mild to moderate renal impairment</u>	Eva Degraeuwe
PI-100	<u>Improving allograft survival by informing donor selection in kidney transplant recipients under 5 years old</u>	Florian Manca Barayre
PI-101	<u>Publication rate and research topics of studies in pediatric kidney transplantation</u>	Christian Patry
PI-102	<u>Graft survival after pediatric kidney transplantation in the Netherlands: results of the last 16 years</u>	Emmanuelle Gaikhorst
PI-103	<u>Reducing face to face outpatient visits for Renal Transplant patients....Virtually impossible?</u>	Louise Kipping
PI-104	<u>Reversible glomerular graft damage in disseminated intravascular coagulation</u>	Raffaella Labbadia
PI-105	<u>HYPERGLYCEMIA AND NODAT AFTER RENAL TRANSPLANTATION</u>	Muhammet Sancaktar
PI-106	<u>Final height of children over 12 years initiated on a steroid minimisation immunosuppressive regimen following kidney transplantation</u>	Demetria Theodorou
PI-107	<u>Thyroid functions in Pediatric Patients after Renal Transplantation</u>	Demet Alaygut
PI-108	<u>SKIN LESIONS IN KIDNEY TRASPLANT RECIPIENT</u>	Ana Vinuesa
PI-109	<u>Clinical outcome after Renal Transplantation in Small Children (&lt; 15 kilos): The Dutch experience</u>	Mike Keizer
PI-110	<u>Kidney graft without immunosuppression in an adolescent with Fanconi aplasia</u>	Guillaume DORVAL
PI-111	<u>Genotype-phenotype correlations in 304 patients with autosomal recessive polycystic kidney disease (ARPKD) and PKHD1 variants</u>	Kathrin Burgmaier
PI-112	<u>HYPERTENSION IN CHILDHOOD CANCER SURVIVORS AFTER TREATMENT WITH POTENTIALLY NEPHROTOXIC THERAPY AND THE ADDED VALUE OF AMBULATORY BLOOD PRESSURE MONITORING; DCCS-LATER 2: RENA</u>	Esmee Kooijmans
PI-113	<u>OUTCOME OF PEDIATRIC PATIENTS STARTING KIDNEY REPLACEMENT THERAPY AFTER CANCER TREATMENT- ESPN/ERA-EDTA REGISTRY DATA</u>	Henna Puusaari
PI-114	<u>CHANGES IN IMMUNOSUPPRESSIVE MEDICATION AFTER KIDNEY TRANSPLANTATION</u>	Henna Puusaari
PI-115	<u>Development of an Observational Registry For Genetic Hypophosphatemia And Acquired Renal Phosphate Wasting in The Netherlands: ORPHOS-NED</u>	Ariadne Bosman
PI-116	<u>Social deprivation and incidence of pediatric end-stage renal disease in France.</u>	Bénédicte Driollet
PI-117	<u>Social deprivation at initiation of kidney replacement therapy in the pediatric population</u>	Bénédicte Driollet
PI-118	<u>Renal length normative values in children aged 0-18 years – multicenter study</u>	Lukasz Obrycki
PI-119	<u>The spectrum of disease in children with established kidney failure using registry and linked electronic health record data</u>	Lucy Plumb
PI-120	<u>COMPARING DIFFERENT MORPHO-COMPOSITIONAL GROUPS OF KIDNEY STONES IN A PEDIATRIC RENAL LITHIASIS REGISTRY</u>	Javier Lumbreras Fernández
PI-121	<u>Clinical and etiopathogenic characterisation of hydroxyapatite stone-formers in a pediatric renal lithiasis registry</u>	Javier Lumbreras Fernández
PI-123	<u>High incidence of COL4 variants among a cohort of childhood steroid resistance nephrotic syndrome from Eastern India.</u>	RAJIV SINHA
PI-124	<u>Association Between Deprivation and Worse Outcomes in Nephrotic Syndrome</u>	Abigail Townsend
PI-125	<u>Central blood pressure and early vascular aging in pediatric patients with idiopathic nephrotic syndrome</u>	Piotr Skrzypczyk
PI-126	<u>COMPARATIVE STUDY ON THE THERAPEUTIC RESPONSE TO DIFFERENT DRUG GROUPS IN PATIENTS WITH CORTICODEPENDENT NEPHROTIC SYNDROME</u>	Pedro Arango Sancho
PI-127	<u>Long-term Obesity Prevalence and Linear Growth in Children with Idiopathic Nephrotic Syndrome: Is Normal Growth and Weight Control Possible with Steroid Sparing Drugs and Low Dose Steroids for Relapses?</u>	Nilüfer Gökner
PI-128	<u>CYCLOSPORINE-INDUCED NEPHROTOXICITY IN CHILDREN WITH STEROID-RESISTANT NEPHROTIC SYNDROME DUE TO FOCAL SEGMENTAL GLOMERULOSCLEROSIS</u>	Larisa Prikhodina
PI-129	<u>CLINICAL AND MOLECULAR CHARACTERISTICS IN CHILDREN WITH SCHIMKE IMMUNO-OSSEOUS DYSPLASIA</u>	Larisa Prikhodina
PI-130	<u>Effect of Levamisole on kidney function</u>	Lieke Hoogenboom
PI-131	<u>In vitro characterization of the DNA-binding affinity of the WT1 transcription factor mutants found in children with steroid-resistant nephrotic syndrome</u>	Martin Bezdička
PI-132	<u>Vaccine titers in children with idiopathic nephrotic syndrome on oral immunosuppressive drugs</u>	Claire Herbez Rea
PI-133	<u>Antenatal diagnosis of type 1 hyperoxaluria and early neonatal initiation of lumasiran do not prevent nephrocalcinosis: a case report</u>	anne laure sellier-leclerc
PI-134	<u>Compassionate use treatment with RNAi medication (Nedosiran) in two patients with primary hyperoxaluria type 1 and maintenance hemodialysis</u>	Bernd Hoppe
PI-135	<u>Systemic oxalate deposition in patients with primary hyperoxaluria type 3</u>	Bernd Hoppe
PI-136	<u>Oxalate in urine and plasma related to kidney function, dialysis or transplantation in patients with primary hyperoxaluria type 1</u>	Bernd Hoppe
PI-137	<u>Successful early treatment with stiripentol in a patient with primary hyperoxaluria type 1</u>	Olivia Boyer
PI-138	<u>RNA interference therapy may allow withdrawal of nocturnal hyperhydration in children with primary hyperoxaluria</u>	Olivia Boyer
PI-139	<u>Plasma oxalate values in patients with end-stage kidney disease</u>	Ella Metry
PI-140	<u>Speckle tracking echocardiography (STE) in patients with Primary Hyperoxaluria type 1 (PH1)</u>	Sander Garrelfs
PI-141	<u>Liver and kidney transplantation in primary hyperoxaluria type 1</u>	Maria Arena
PI-142	<u>COMPOSITION OF URINARY STONES IN CHILDREN: CLINICAL AND METABOLIC DETERMINANTS IN A FRENCH TERTIARY CARE CENTER</u>	Camille Rauturier
PI-143	<u>Health-related quality of life of children and adolescents with cystinosis</u>	Julia Quitmann
PI-144	<u>Safety and Efficacy of Low-dose Obinutuzumab in Pediatric Steroid-Dependent Nephrotic Syndrome</u>	Claire DOSSIER
PI-145	<u>Incidence and relapse of idiopathic nephrotic syndrome: meta-analysis</u>	Floor Veltkamp

PI-146	<u>Lower incidence of idiopathic nephrotic syndrome in children in the Netherlands and Belgium between 2017-2019 and during the Covid-19 pandemic</u>	Floor Veltkamp
PI-147	<u>Lower Pneumococcal Serotype-specific B-cellular Response in Children with Idiopathic Nephrotic Syndrome (INS) under Cyclosporin-A (CsA)</u>	VARVARA ASKITI
PI-148	<u>EFFECTIVENESS AND KIDNEY PROGNOSIS IN THE TREATMENT OF CORTICORESISTANT NEPHROTIC SYNDROME IN PEDIATRICS</u>	Elena Codina
PI-149	<u>Rituximab for the treatment of Anti-factor H autoantibody-associated C3 glomerulopathy: is it effective?</u>	Federica Zotta
PI-150	<u>A Rare Cause of Non-Lupus Full-House Nephropathy In An Adolescent Boy: C3 Glomerulopathy</u>	Demet Alaygut
PI-151	<u>IgG4-related disease with isolated renal involvement in childhood</u>	Demet Alaygut
PI-152	<u>Evaluation of Epicardial Adipose Tissue in Pediatric Patients with Nephrotic Syndrome Diagnosis</u>	Demet Alaygut
PI-153	<u>Frequently Relapsing Nephrotic Syndrome in a -11-year old boy with heterozygosity for two variants in NPHS1 gene.</u>	Martine Docx
PI-154	<u>Congenital nephrotic syndrome: a case report of two sisters with the same mutations but different phenotype</u>	Fiorenza Alfieri
PI-155	<u>Rare collagenous heterozygote variants in children with IgA nephropathy</u>	ALEXANDRA CAMBIER
PI-156	<u>NO CLEAR INDICATION FOR DIGENIC INHERITANCE IN 60 INDIVIDUALS WITH DISEASE-CAUSING VARIANTS IN COL4A3, COL4A4 OR COL4A5 AND IN A MENDELIAN GENOMICS EXOME DATABASE OF MORE THAN 22,000 INDIVIDUALS</u>	Jasmina Čović
PI-157	<u>Valvular abnormalities in children with Autosomal Dominant Polycystic Kidney Disease</u>	Alexandra Savis
PI-158	<u>Low prevalence of hypertension in children with renal cysts and diabetes syndrome is the hallmark of the disease</u>	Tomas Seeman
PI-159	<u>THERAPEUTIC MANAGEMENT OF PAEDIATRIC SCHIMKE IMMUNO-OSSEOUS DYSPLASIA PATIENTS WITH KIDNEY TRANSPLANTATION: A 20-YEAR EXPERIENCE OF A FRENCH CENTRE</u>	Laurene Dehoux
PI-160	<u>NPHS2 variants and disease recurrence after transplantation: experience from a large single center cohort</u>	Guillaume DORVAL
PI-161	<u>Effects of RAAS inhibition and immunosuppressive therapy in pediatric patients with X-linked Alport Syndrome</u>	EMINE GULSAH OZDEMIR
PI-162	<u>First description of a case of hyposulfatemic hypersulfaturia caused by a homozygous variant in the SLC13A1 gene</u>	Arend Bokenkamp
PI-163	<u>LONG-TERM OUTCOME OF A SERIES OF PATIENTS WITH PRIMARY DISTAL RENAL TUBULAR ACIDOSIS</u>	Leire Madariaga
PI-164	<u>BLOOD PRESSURE AND GLOMERULAR FILTRATION RATE IN YOUTH WITH TUBEROUS SCLEROSIS COMPLEX</u>	Christina Sidira
PI-165	<u>Renal and extra renal manifestations in adult zebrafish model of cystinosis</u>	Sante Princiero Berlingiero
PI-166	<u>What are the psychosocial factors influencing access to kidney transplantation and transplant outcomes for children? A Systematic Literature Review</u>	Ji Soo Kim
PI-167	<u>Perspectives on life participation by young adults with chronic kidney disease: an interview study</u>	Jasmijn Kerklaan
PI-168	<u>Virtual Art Therapy: Meeting the psychological needs of Children and Young People with chronic kidney disease during the Covid-19 pandemic</u>	Arvind Nagra
PI-169	<u>Adapting and evolving Youth Work support throughout the Covid-19 pandemic</u>	Arvind Nagra
PI-170	<u>Illness-related Parental Stress, Quality of Life and Problem Behavior in Children with Chronic Kidney Disease</u>	Lore Willem
PI-171	<u>Psychosocial challenges for parents of children with chronic kidney disease</u>	Elke De Bruyne
PI-172	<u>Diagnostic performance of urine diagnostics in children with a suspected urinary tract infection</u>	Stephanie Middelkoop
PI-173	<u>Exome sequencing implicates heterozygous variants in DSTYK in functional urinary bladder disturbance</u>	Alina Hilger
PI-174	<u>The Role of Pro-Adrenomedullin in the Diagnosis of Urinary Tract Infection in Children and Comparison with C-Reactive Protein, Procalcitonin, Blood Leukocyte Count</u>	Seyma Koksak Atiş
PI-175	<u>Is a Different Follow-up Procedure Necessary For Infants with First Febrile Urinary Tract Infection Caused by Non-E.coli and/or Extended-spectrum B-Lactamase-Producing Bacteria?</u>	Demet Alaygut
PI-176	<u>How Does Febrile Neutropenia Affect the Presence and Clinic of Urinary Tract Infection in Children?</u>	Demet Alaygut
PI-177	<u>EVALUATION OF PATIENTS WITH A DIAGNOSIS OF ECTOPIC KIDNEY</u>	Demet Alaygut
PI-178	<u>Diagnostic yield and benefits of whole-exome sequencing in patients with congenital anomalies of the kidney and urinary tract (CAKUT) diagnosed in the first thousand days of life</u>	Lina Werfel
PI-179	<u>A national survey of management of unilateral multicystic dysplastic kidney (MCDK) in the United Kingdom</u>	Douglas Stewart
PI-180	<u>Early renal ultrasound in congenital solitary kidney may help to select patients at lower risk of associated vesico-ureteral reflux</u>	Pierluigi Marzuillo
PI-181	<u>The predictive value of the renal length toward kidney injury in patients with congenital solitary kidney is time-dependent</u>	Pierluigi Marzuillo
PI-182	<u>The spectrum of kidney function alterations in adolescent with a solitary functioning kidney</u>	Olivia Boyer
PI-183	<u>Renal Outcome Of Children With Solitary Functioning Kidney</u>	Elif Comak
PI-184	<u>CONSERVATIVE MANAGEMENT OF NON-REFLUXING NON-OBSTRUCTIVE MEGAURETER: A LONGITUDINAL OBSERVATIONAL STUDY</u>	Seçil kezer
PI-185	<u>Prevalence of reflux nephropathy in Iranian children with solitary kidney: results of a multi-center study</u>	Maryam Esteghamati
PI-186	<u>Presentation, management, and outcome of posterior urethral valves in a tertiary hospital</u>	Demet Alaygut
PI-187	<u>A case report of duplex kidney: massive dilatation of the upper moiety without vesicoureteral reflux</u>	Miriam Acunzo
PI-188	<u>An atypical case of typical HUS</u>	Marina Avramescu
PI-189	<u>The development and preliminary validation of a scoring tool for monitoring disease activity in patients with IgA vasculitis (HSP).</u>	Chloe Williams
PI-190	<u>A systematic review of urine biomarkers in children with IgA vasculitis nephritis.</u>	Chloe Williams
PI-191	<u>Evaluation of risk factors for progression of primary IgA-nephropathy in children</u>	Maria Proskura
PI-192	<u>The Evaluation of Clinical, Laboratory and Pathologic Findings of Children with Henoch-Schönlein Nephritis and Investigating The Effect on Prognosis</u>	Nilüfer Gökner
PI-193	<u>Outcome of children with IgA vasculitis with nephritis treated with steroids: a match control study.</u>	jean-daniel delbet

PI-194	<u>Efficacy of combined therapy of Azathioprine, Prednisone and Enalapril in IgAN and IgAVN children including control kidney biopsy</u>	MALGORZATA MIZERSKA-WASIAK
PI-195	<u>IgA nephropathy – characterization and evolution: a single center experience</u>	Cátia Granja
PI-196	<u>Defining renal remission in an international cohort of children with lupus nephritis</u>	Chiara De Mutiis
PI-197	<u>Induction therapy for pediatric onset lupus nephritis : Mycophenolate Mofetil versus Cyclophosphamide</u>	Olivia Boyer
PI-198	<u>Evaluation of Hydroxychloroquine Blood Concentrations and Effects in Childhood-Onset Systemic Lupus Erythematosus</u>	Olivia Boyer
OP-1	<u>Efficacy of immunoglobulin immunoadsorption in the treatment of multidrug resistant idiopathic nephrotic syndrome</u>	Stéphanie BONNERIC
OP-2	<u>Safety and efficacy of Ofatumumab in refractory pediatric Nephrotic Syndrome. An study cohort</u>	Yolanda Calzada
OP-3	<u>Evaluation of The Genetical Features Affecting Renal Outcome in Children With Steroid Resistant Nephrotic Syndrome</u>	Elif Comak
OP-4	<u>In vitro assays to demonstrate the presence of plasma-derived circulating permeability factors in the pathogenesis of focal segmental glomerulosclerosis</u>	Susan Veissi
OP-5	<u>KidneyNetwork: Using kidney-derived gene expression data to predict and prioritize novel genes involved in kidney disease</u>	Laura Claus
OP-6	<u>Hyperuricemia is strongly dependent on renal function and hyperglycemia, which limits its clinical utility as a predictor of HNF1B nephropathy</u>	Marcin Kołbuc
OP-7	<u>Kidney injury in a large cohort of children with solitary functioning kidney</u>	Sander Groen in t Woud
OP-8	<u>PHENOTYPE-GENOTYPE CORRELATION AND CLINICAL CHARACTERISTICS OF PEDIATRIC PATIENTS WITH ALPORT SYNDROME</u>	Michał Pac
OP-10	<u>ECULIZUMAB THERAPY MONITORING: RESIDUAL HEMOLYSIS IN ALTERNATIVE PATHWAY TEST IS NOT CAUSED BY C5 ACTIVITY</u>	Elena Volokhina
OP-11	<u>EXTENSIVE COMPLEMENT ANALYSIS DURING FOLLOW-UP OF A PEDIATRIC C3 GLOMERULOPATHY COHORT</u>	Marloes Michels
OP-12	<u>Evaluation of the combination of immunoadsorptions with eculizumab in the treatment of neurological involvement in pediatric shigatoxin-associated hemolytic uremic syndrome (STEC-HUS)</u>	Charlotte Duneton
OP-13	<u>Phosphate stabilizes cardiac FGF23 via Galnt3 and thereby worsens cardiac function</u>	Maren Leifheit-Nestler
OP-14	<u>HYPOCALCAEMIA AND HYPERPHOSPHATEMIA ARE ASSOCIATED WITH ALLOGRAFT DYSFUNCTION IN PAEDIATRIC KIDNEY TRANSPLANT RECIPIENTS</u>	Agnieszka Prytula
OP-15	<u>A fixed blood pressure cut-off approach to blood pressure interpretation in children</u>	Robert Myette
OP-16	<u>RE-EVALUATING HYPERTENSION IN CHILDREN ACCORDING TO DIFFERENT GUIDELINES: A SINGLE CENTER STUDY</u>	Demet Alaygut
OP-17	<u>Structural and functional cardiovascular disease in children and young adults with CKD and on dialysis</u>	Alexander D. Lalayiannis
OP-18	<u>SOLUBLE CD89 IS A CRITICAL FACTOR FOR MESANGIAL PROLIFERATION IN CHILDHOOD IgA NEPHROPATHY.</u>	ALEXANDRA CAMBIER
OP-19	<u>Predictors of Renal Outcome in Children with ANCA Associated Vasculitis: results of the ERKNet/ESPN/IPNA Survey</u>	Matko Marlais
OP-20	<u>Kidney transplant rejection and survival in adolescents – the Rotterdam experience</u>	Femke Vrieling-Prince
OP-21	<u>Pharmacokinetics of tacrolimus in renal transplantation recipients during adolescence</u>	Femke Vrieling-Prince
OP-22	<u>Randomized, Placebo-controlled, Phase 3b Trial of Tolvaptan in the Treatment of Children and Adolescents with Autosomal Dominant Polycystic Kidney Disease (ADPKD): 1-Year Data</u>	Denise Goode
OP-23	<u>Rituximab bioavailability in pediatric patients with steroid dependent idiopathic nephrotic syndrome</u>	Cyrielle Parmentier
OP-24	<u>Identifying interpersonal differences in gut microbiota metabolism of transplantation and chronic kidney disease drugs</u>	Maral Baghai Arassi
OP-25	<u>Exploring the effects of CYP3A5 and ABCB1 genetic variations in functional differences, tacrolimus metabolism and CTGF production in human proximal tubule cells</u>	Yasaman Ramazani
OP-26	<u>Cerebrovascular Complications of Renovascular Disease in Children - Knowns and Unknowns</u>	Chavini Ranasinghe
OP-27	<u>Hemodiafiltration is associated with reduced inflammation and increased bone turnover compared to conventional hemodialysis in children - the HDF, Heart and Height (3H) study</u>	Francesca De Zan
OP-28	<u>Assessment of Ultrafiltration accuracy in children on home haemodialysis</u>	Iona Madden
OP-29	<u>DIETARY FIBRE INTAKE IS ASSOCIATED WITH SERUM LEVELS OF URAEMIC TOXINS IN CHILDREN WITH CHRONIC KIDNEY DISEASE</u>	Amina El Amouri
OP-30	<u>NUTRITIONAL STATUS IN CHILDREN RECEIVING HEMODIAFILTRATION VS CONVENTIONAL HEMODIALYSIS - THE HDF, HEART AND HEIGHT (3H) STUDY</u>	Fabio Paglialonga
OP-31	<u>Assessment of endogenous oxalate production in Primary Hyperoxaluria type 1 patients by stable isotope tracer infusion</u>	Sander Garrelfs
OP-32	<u>Outcome of infantile oxalosis in Europe.</u>	Lisa Deesker
OP-33	<u>CLINICAL AND METABOLIC CHARACTERISTICS OF CHILDHOOD RENAL MICROLITHIASIS IN DIFFERENT AGE GROUPS</u>	Demet Alaygut
OP-34	<u>Long-term transplantation outcomes in patients with primary hyperoxaluria type I: results from the OxalEurope database</u>	Ella Metry
OP-35	<u>Early childhood height-adjusted total kidney volume as a risk marker of kidney survival in autosomal recessive polycystic kidney disease (ARPKD)</u>	Kathrin Burgmaier
OP-36	<u>Heterozygous variants in kinase domain of NEK8 cause an autosomal-dominant ciliopathy</u>	Laura Claus
OP-37	<u>Prediction of renal prognosis in nephronophthisis</u>	Jens König
OP-38	<u>Use of epithelial models to study cyst formation in PKD</u>	Wolfgang Ziegler
OP-39	<u>Prevalence and risk factors for the development of kidney damage in sickle cell anemia children</u>	Oyindamola Adebayo
OP-40	<u>High phosphate intake in mice causes inflammatory kidney injury dominated by macrophages</u>	Isabel Vogt
OP-41	<u>A computational approach to investigate malfunctions of central venous lines in children</u>	Claudia Bruno
OP-42	<u>Renal prognosis in the French cohort (2000-2018) of 46 children with TINU syndrome: we have to be cautious.</u>	Agnès Chevalier
OP-43	<u>Long-term follow-up of patients with Bartter syndrome type III</u>	Leire Gondra
OP-44	<u>Clinical features and management of Dent's Disease type 1 (DD1) in Europe</u>	Carla Burbulla Tarrega

OP-45	<u>POTASSIUM AND FIBRE: A CONTROVERSIAL COUPLE IN THE NUTRITIONAL MANAGEMENT OF CHILDREN WITH CHRONIC KIDNEY DISEASE</u>	Amina El Amouri
OP-46	<u>Renal activation of PIT-2/ERK1/2 signalling by phosphate mediates internalization of NaPi-2a in the proximal tubule independent of FGF23</u>	Beatrice Richter
OP-47	<u>ePHex: A phase 3 double-blind, placebo-controlled, randomised study to evaluate long-term efficacy and safety of Oxalobacter formigenes in patients with Primary hyperoxaluria</u>	Gema Ariceta
OP-48	<u>The epidemiology of childhood acute kidney injury in England using AKI e-alerts</u>	Lucy Plumb
OP-49	<u>Development of a simulation tool of the care trajectories of children and young adults with ESKD</u>	Julien Hogan
OP-50	<u>LOW-DOSE PREDNISOLONE AT THE TIME OF AN URTI DOES NOT PREVENT RELAPSES IN STEROID SENSITIVE NEPHROTIC SYNDROME BUT MAY HAVE A HEALTH ECONOMIC BENEFIT: THE PREDNOS 2 TRIAL</u>	Martin Christian
OP-51	<u>Phenotypic variabilities in siblings with ARPKD</u>	Ramona Ajiri
OP-52	<u>Clinical delineation of the NUP93 glomerulopathy prevalent in Central and Eastern Europe</u>	Beata Lipska-Ziętkiewicz
OP-53	<u>TUBULAR DYSFUNCTION AND TREATMENT-RELATED RISK FACTORS IN LONG-TERM CHILDHOOD CANCER SURVIVORS; DCCSS-LATER 2: RENA</u>	Esmee Kooijmans
OP-54	<u>Transplantation in childhood and re-transplantation in adulthood: results from the ERA-EDTA Registry</u>	Evgenia Preka
OP-55	<u>VESICULAR miRNAs AS NEW FRONTIER IN THE PREVENTION OF RENAL SUBCLINICAL REJECTION</u>	Andrea Carraro
OP-56	<u>OUTCOME OF KIDNEY TRANSPLANTATION FOLLOWING DONATION AFTER CIRCULATORY DEATH IN CHILDREN</u>	Jessica McIlwham
OP-57	<u>Steering of immunosuppression by virus-specific T cells after pediatric kidney transplantation in the randomized controlled IVIST trial</u>	Lars Pape
OP-58	<u>Kidney Paired Exchange in Children in the US</u>	Julien Hogan